Square D (Schneider Electric) B125 bolt-on rainproof hub, 1-1/4 in (B100 1 in / B150 1-1/2 in / B200 2 in)



Dimensions	4.44″ W × 1.4″ H × 3.09″ D
Where it goes in UNIT5.xyz	Top 'B' opening of a Square D NEMA 3R load center. For a bottom or side entry through the wall, use a listed watertight hub on the conduit and LB, plus sealant.
Warranty	18 months (Schneider datasheet)
Made in	India

The manufacturer's spec sheet follows on the next page.

Product data sheet

Specifications



Accessory, bolt-on hub, 1.25in, rainproof

B125

Product availability: Stock - Normally stocked in distribution facility

Main

Hub type	B
Product or Component Type	Hub

Complementary

Cable entry	Conduit entry 1.25 in (31.75 mm)
Depth	3.09 in (78.49 mm)
Height	1.4 in (35.6 mm)
Width	4.44 in (112.78 mm)

Environment

Product Certifications	UL Listed

Ordering and shipping details

Category	US1DE1A00032
Discount Schedule	DE1A
GTIN	785901459446
Returnability	Yes
Country of origin	IN

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	1.800 in (4.572 cm)
Package 1 Width	4.600 in (11.684 cm)
Package 1 Length	5.300 in (13.462 cm)
Package weight(Lbs)	5.600 oz (158.757 g)
Unit Type of Package 2	CAR
Number of Units in Package 2	10
Package 2 Height	5.200 in (13.208 cm)
Package 2 Width	5.700 in (14.478 cm)
Package 2 Length	13.800 in (35.052 cm)
Package 2 Weight	3.986 lb(US) (1.808 kg)

Price is “List Price” and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Contractual warranty

Warranty (in months)	18

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Use Better

Materials and Substances

Packaging made with recycled cardboard	**No**
Packaging without single use plastic	**No**
SCIP Number	**Fcbb2f4b-148e-498d-b15c-530db69350d4**
EU RoHS Directive	**Compliant**
REACh Regulation	**Free of Substances of Very High Concern above the threshold**
California proposition 65	**WARNING: This product can expose you to chemicals including: Nickel compounds, which is known to the State of California to cause cancer and/or birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.**

Use Again


Repack and remanufacture

Circularity Profile	**No need of specific recycling operations**
Take-back	**No**
WEEE Label	**The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.**

Image of product / Alternate images

Alternative


B125
1-1/4 in. bolt-on hub, type B size
For use in Square D outdoor electrical panels, CSEDs, and safety switches
UL listed, CSA listed, and ANSI certified


B125
3.09 in
1.4 in
4.44 in
Dimensions


Compatible products
1-1/4 in. Bolt-On Hub for Devices with B Openings
MFG Model Number: B125
Compatible for direct mounting on outdoor or N3R Homeline and QO load centers and safety switches with a "B" in the catalog #