Goldshell SC BOX II (Blake2b, 1.9 TH/s)



Dimensions	3.78″ W × 7.8″ H × 5.91″ D
Weight	4.85 lb
Electrical	volts: 100-240 V AC · amps: about 3.3 A at 120 V (calculated) · watts: 400 · plug: Power cable rated 10 A (Goldshell); cord type not stated
Hash rate	1.9 TH/s
Algorithm	Blake2b (Bitcoin XBT)
Airflow / capacity	Heat out about 1,365 BTU/h (400 W x 3.412). Fan 4,500 rpm; airflow not published.
Noise	35 dB
Where it goes in UNIT5.xyz	Indoors or inside the shed on a shelf; quiet enough for a room. Keep intake and exhaust clear.

The manufacturer's product page follows on the next page (printed from their site).

COMPARE MINER

The Compare Miner Section Offers Detailed Side-By-Side Analyses Of Different Models' Features And Performance.



View All Models

SC BOX II	select a product	select a product



Click for Inquiries

Add to cart

Add to cart

Consumption

1.9TH/s±5%	—	—
Default Hashrate Mode	Default Hashrate Mode	Default Hashrate Mode
400W±5%	—	—
Default Hashrate Power	Default Hashrate Power	Default Hashrate Power
211J/TH	—	—
lt Hashrate Power Consumption	Default Hashrate Power Consumption	Default Hashrate Power Consum

1.45TH/s±5%	—	—
1.45TH/s±5%	Low-Hashrate Mode	Low-Hashrate Mode
Low-Hashrate Mode		
	—	—
260W±5%	Low-Hashrate Mode Power	Low-Hashrate Mode Power
_ow-Hashrate Mode Power		
	—	—
179J/TH	Low-Hashrate Mode Power Consumption	Low-Hashrate Mode Power Consumption
_ow-Hashrate Mode Power Consumption		

Algorithm

Blake2b	—	—
Algorithm	Algorithm	Algorithm

Cryptocurrency

$SC	—	—
Cryptocurrency	Cryptocurrency	Cryptocurrency

Volume

150*198*96mm	—	—
Dimensions	Dimensions	Dimensions

2.2kg	—	—
Miner Weight	Miner Weight	Miner Weight

Noise and heat dissipation

≤35dB	—	—
Noise Level	Noise Level	Noise Level

4500rpm	—	—
Fan Specifications	Fan Specifications	Fan Specifications

Usage environment

0~35℃	—	—
Temperature	Temperature	Temperature

≤65%	—	—
Relative Humidity	Relative Humidity	Relative Humidity

Power

100 - 240VAC	—	—
Input Voltage	Input Voltage	Input Voltage
10A	—	—
Power Cable	Power Cable	Power Cable
Only Ethernet	—	—
Connection Port	Connection Port	Connection Port

Email Address

I agree to Goldshell's Privacy Policy and Terms of Service.

Subscribe

Copyright ©2026 The Project by Goldshell. All Rights Reserved