

Goldshell SC LITE (Blake2b, 4.4 TH/s)



Dimensions	7.87″ W × 10.39″ H × 11.42″ D
Weight	20.94 lb
Electrical	volts: 100-240 V AC · amps: about 7.9 A at 120 V (calculated) · watts: 950 · plug: Power cable rated 16 A (Goldshell); cord type not stated · breaker: Dedicated 15 A or 20 A 120 V circuit (7.9 A x 125% = 9.9 A)
Hash rate	4.4 TH/s
Algorithm	Blake2b (Bitcoin XBT)
Airflow / capacity	Heat out about 3,241 BTU/h (950 W x 3.412). Fans 2,200 rpm; airflow not published.
Noise	55 dB
Where it goes in UNIT5.xyz	Indoors or inside the shed on a shelf; quiet enough for a room. Keep intake and exhaust clear.
Warranty	Goldshell After-sales Terms (not checked)

The manufacturer's product page follows on the next page (printed from their site).









SC LITE

From: $849.00

- Specifications: 4.4TH/s±5% | 950W±5% | 216J/TH
- Algorithm: Blake2b

- Cryptocurrency: $SC
- Quiet Mining, New Cooling System, Remote APP Control
- Check Order Terms and After-sales Terms before purchase

Add "Insurance Plan" for
$15.00

$849.00

Out of stock

Join the waitlist to be emailed when this product becomes available

Email Address

Join Waitlist


Handling time:14 working days

- Order FAQ
- Order Terms
- After-sales Terms

Goldshell

SC LITE Home Miner

Excel in Diverse Environments



Specifically designed for home miners

4.4T±5% | 950W±5% | 216W/T

SC LITE

4.4T±5%

950W±5%

216W/T




Outstanding Energy Conservation



High-performance chipset and unbeatable value

Remote APP control



Monitor and manage your miner with a simple tap

Advanced Dashboard

Convenient to trace the hashrate





SC BOX II

1.9T±5%

400W

211W/T

198*150*96(mm)

2.2kg

Household



SC LITE

4.4T±5%

950W±5%

216W/T

230*200*290(mm)

9.5kg

Household



SC6 SE

17T±5%

3330W±5%

196W/T

264*200*96(mm)

11.5kg

Household

SPECIFICATIONS

Hashrate: 4.4TH/s±5%

Email Address

I agree to Goldshell's Privacy Policy and Terms of Service.

Subscribe

Copyright ©2026 The Project by Goldshell. All Rights Reserved

arrive within 5-7 business days. Please note that due to the complexity of international logistics, we may not be able to ship our porducts to certain countries or areas.

· Our products come with free shipping, but you are responsible for paying local taxes and customs duties. If you fail to pay local taxes or customs duties, or cannot complete the clearance on time, the customer should be responsible for any additional loss and costs.

· Before using your miner , please make sure to check for any deformities or damage, as well as the fans are functioning correctly or not. Additionally, listen carefully for any abnormal sounds and check if the heatsink is securely attached.

· Ensure the ambient temperature remains within the range of 10-35℃, and the ambient humidity below 65%.

· Maintain a clean environment to prevent the entry of dust, hair, catkins or other objects into the miner.

· Ensure a stable vlotage supply and do not plug or unplug cables while the power is on.

· Customer must not disassemble the miner without prior permission from Goldshell After-sales Team. Warranty service won't be provided if the miner or other components are crushed or damaged